

PREMIER

ILP-80 Portable BT



MODEL	ILP-80 Portable BT		
Printing			
Resolution	203 DPI		
Printing method	Direct thermal		
Max. print speed	Max. 70mm/sec		
Max. print width	72mm (2.8")		
Max. paper length	1778mm (70")		
Media			
Media type	Continuous, gap, black mark		
Media width	20mm ~ 76mm		
Media thickness	0,06mm ~ 0,254mm		
Label roll diameter	50mm		
Performance features			
Processor	32-bit CPU		
Memory	8MG Flash memory / 8MB SD RAM		
Interface	USB + Bluetooth		
Screen	OLED (1.3") Resolution: 128x64 pix		
Sensors	1: Gap sensor	2: Cover opening sensor	3: Black mark sensor
Fonts/Graphics/Symbologies			
Internal fonts	8 Alpha-numeric bitmap fonts, Windows fonts are downloadable from software		
1D barcode	Code 39, Code 93, Code 128UCC, Code 128 subsets A, B, C, Codabar, Interleaved 2 of 5, EAN-8, EAN-13, EAN-128, UPC-A, EAN and UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China POST		
2D barcode	PDF-417, Maxicode, DataMatrix, QR code, Azgtec		
Rotation	0°, 90°, 180°, 270°		
Emulation	TSPL, EPL, ZPL, DPL, CPCL, ESC/POS		
Reliability			
Printer head life	30Km		
Software			
Operation system	Windows/Android/iOS		
SKD	Windows/Android/iOS		
Power supply			
Output	DC 9V/2 ^a		
Battery	7.4V/2500mAh		
Environmental Requirements			
Work environment	Temperature (5~40°C) humidity(25~85%)		
Storage environment	Temperature(-40~60°C) humidity(10~90%)		
Physical characteristics			
Colour	Grey		
Weight	357 g		
Dimensions	124×108×61mm (D×W×H)		
Warranty			
Warranty	2 years		